

**DICHT-BECHERBLINDNIETE**



FLACHRUNDKOPF (~ DIN EN ISO 15975)

**SEALED BLIND RIVETS**

DOMED HEAD (~ DIN EN ISO 15975)

**RIVETS ÉTANCHES**

TÊTE PLATE (~ DIN EN ISO 15975)



Aluminium Legierung [ AlMg 5 ]  
Aluminium alloy [ AlMg 5 ]  
Aluminium alliage [ AlMg 5 ]

Edelstahl A2 [ 1.4301 ]  
Stainless steel A2 [ AISI 304 ]  
Acier inox A2 [ 1.4301 ]

**Ø 3,2 mm**

D1 = 3,2 +/- 0,08 mm  
D2 = 6,0 +/- 0,24 mm  
k = ≤ 1,4 mm  
d = 1,7 mm  
P = ≥ 27,0 mm  
L = + 1,0 / - 0,2 mm  
 3,3 mm

3,2 x 6,5 mm	0,5 - 2,0 mm	21201 32650	1050 N	1200 N	1000	10000
3,2 x 8,0 mm	2,0 - 3,5 mm	21201 32800			1000	10000
3,2 x 9,5 mm	3,5 - 5,0 mm	21201 32950			1000	10000
3,2 x 11,0 mm	5,0 - 6,5 mm	21201 32110			1000	10000
3,2 x 12,5 mm	6,5 - 8,0 mm	21201 32120			1000	10000

**Ø 4,0 mm**

D1 = 4,0 +/- 0,08 mm  
D2 = 8,0 +/- 0,29 mm  
k = ≤ 1,7 mm  
d = 2,2 mm  
P = ≥ 27,0 mm  
L = + 1,0 / - 0,2 mm  
 4,1 mm

4,0 x 8,0 mm	0,5 - 3,5 mm	21201 40800	1550 N	2100 N	500	5000
4,0 x 9,5 mm	3,5 - 5,0 mm	21201 40950			500	5000
4,0 x 11,0 mm	5,0 - 6,5 mm	21201 40110			500	5000
4,0 x 12,5 mm	6,5 - 8,0 mm	21201 40125			500	5000
4,0 x 14,0 mm	8,0 - 10,0 mm	21201 40140			500	5000
4,0 x 16,0 mm	10,0 - 12,0 mm	21201 40160			500	5000
4,0 x 18,0 mm	12,0 - 14,0 mm	21201 40180			500	5000

**Ø 4,8 mm**

D1 = 4,8 +/- 0,08 mm  
D2 = 9,5 +/- 0,29 mm  
k = ≤ 2,0 mm  
d = 2,65 mm  
P = ≥ 27,0 mm  
L = + 1,0 / - 0,2 mm  
 4,9 mm

4,8 x 8,0 mm	1,0 - 3,0 mm	21601 48800	2100 N	3000 N	250	2500
4,8 x 9,5 mm	3,0 - 4,5 mm	21201 48950			250	2500
4,8 x 11,0 mm	4,5 - 6,0 mm	21201 48110			250	2500
4,8 x 12,5 mm	6,0 - 7,5 mm	21201 48125			250	2500
4,8 x 14,0 mm	7,5 - 9,0 mm	21201 48140			250	2500
4,8 x 16,0 mm	9,0 - 11,0 mm	21201 48160			250	2500
4,8 x 18,0 mm	11,0 - 13,0 mm	21201 48180			250	2500
4,8 x 21,0 mm	13,0 - 16,0 mm	21201 48210			250	2500
4,8 x 25,0 mm	16,0 - 20,0 mm	21201 48250			250	2500