




## FLACHRUNDKOPF MIT GERILLTEM NIETDORN DOMED HEAD WITH GROOVED MANDREL TÊTE PLATE CLOU CANNELÉ










Edelstahl A2 [ 1.4301 ]  
Stainless steel A2 [ AISI 304 ]  
Acier inox A2 [ 1.4301 ]


Edelstahl A2 [ 1.4301 ]  
Stainless steel A2 [ AISI 304 ]  
Acier inox A2 [ 1.4301 ]








### Ø 4,8 mm

D1 = 4,8 +/- 0,09 mm  
D2 = 10,0 + 0 / - 1,0 mm  
k = 2,2 +/- 0,25 mm  
d = 3,0 mm (Ref.)  
P = ≥ 27,0 mm  
L = +/- 0,99 mm  
 4,9 - 5,1 mm

	F max		CODE					
4,8 x 10,5 mm	20,0 mm	1,8 - 6,9 mm	77705 04810	5700 N	4400 N	445 N	250	2500
4,8 x 14,5 mm	27,0 mm	1,8 - 11,0 mm	77705 04814				250	2500

### Ø 6,4 mm

D1 = 6,4 + 0 / - 0,11 mm  
D2 = 13,5 + 0 / - 1,5 mm  
k = 3,0 +/- 0,4 mm  
d = 4,0 mm (Ref.)  
P = ≥ 31,0 mm  
L = +/- 0,99 mm  
 6,6 - 6,9 mm

	F max		CODE					
6,4 x 14,5 mm	27,0 mm	2,0 - 9,5 mm	77705 06414	10500 N	8200 N	1112 N	250	2500 <sup>2)</sup>
6,4 x 20,5 mm	37,0 mm	2,0 - 15,9 mm	77705 06420				250	2500 <sup>2)</sup>

<sup>1)</sup> typische Werte typical values valeurs typiques

<sup>2)</sup> **Auf Anfrage:** Deutsches Institut für Bautechnik (DIBt, German Authority in Civil Engineering) Approval No. Z-14.1-4 Attachment 2-23

Technische Änderungen vorbehalten Subject to technical modifications Sous réserve de modifications (techniques)