




FLACHRUNDKOPF MIT GERILLEM NIETDORN DOMED HEAD WITH GROOVED MANDREL TÊTE PLATE CLOU CANNELÉ











Aluminium AlMg 5 (5056 A)
Aluminium AlMg 5 (5056 A)
Aluminium AlMg 5 (5056 A)


Aluminium Legierung
Aluminium alloy
Aluminium alliage









Ø 4,8 mm

D1 = 4,8 +/- 0,09 mm
D2 = 10,0 + 0 / - 1,0 mm
k = 2,2 +/- 0,25 mm
d = 3,0 mm (Ref.)
P ≥ 27,0 mm
L = +/- 0,99 mm
 4,9 - 5,1 mm


	F max							
4,8 x 10,5 mm	20,0 mm	1,8 - 6,9 mm	76605 04810	2400 N	2000 N	222 N	250	2500
4,8 x 14,5 mm	27,0 mm	1,8 - 11,0 mm	76605 04814				250	2500









Ø 6,4 mm

D1 = 6,4 + 0 / - 0,11 mm
D2 = 13,5 + 0 / - 1,5 mm
k = 3,0 +/- 0,4 mm
d = 4,0 mm (Ref.)
P ≥ 31,0 mm
L = +/- 0,99 mm
 6,6 - 6,9 mm

	F max							
6,4 x 14,5 mm	27,0 mm	2,0 - 9,5 mm	76605 06414	5400 N	3600 N	445 N	250	2500
6,4 x 20,5 mm	37,0 mm	2,0 - 15,9 mm	76605 06420				250	2500

Ø 9,8 mm

D1 = 9,8 +/- 0,11 mm
D2 = 20,0 mm max
k = 4,5 mm max.
d = 5,8 mm (Ref.)
P ≥ 31,0 mm
L = +/- 0,99 mm
 10,0 - 10,4 mm

	F max							
9,8 x 21,3 mm	41,9 mm	3,1 - 14,2 mm	76605 09821	13100 N	8500 N	1100 N	100	1000

¹⁾ typische Werte typical values valeurs typiques

Technische Änderungen vorbehalten Subject to technical modifications Sous réserve de modifications (techniques)