



MEHRBEREICHSBLINDNIETE FLACHRUNDKOPF

MULTIGRIP BLIND RIVETS DOMED HEAD


RIVETS MULTI SERRAGE TÊTE PLATE









Aluminium AIMG 2,5
Aluminium AIMG 2,5
Aluminium AIMG 2,5


Stahl verzinkt
Steel zinc plated
Acier zingué







Ø 3,0 mm

D1 = 3,0 + 0,05 / - 0,13 mm
D2 = 6,0 + 0 / - 0,24 mm
k = ≤ 1,4 mm
d = 1,7 mm
P = ≥ 27,0 mm
L = + 1,0 / - 0,2 mm
 3,1 mm


	F-Max		CODE				
3,0 x 6,0 mm	9,5 mm	1,0 - 4,0 mm	77701 30600	520 N	650 N	1000	10000
3,0 x 8,0 mm	11,5 mm	1,0 - 5,5 mm	77701 30800				
3,0 x 10,0 mm	13,5 mm	2,5 - 7,0 mm	77701 30100				
3,0 x 12,0 mm	15,5 mm	4,5 - 9,0 mm	77701 30120				







Ø 3,2 mm

D1 = 3,2 + 0,05 / - 0,13 mm
D2 = 6,0 + / - 0,24 mm
k = ≤ 1,4 mm
d = 1,78 mm
P = ≥ 27,0 mm
L = + 1,0 / - 0,2 mm
 3,3 mm

	F-Max		CODE				
3,2 x 6,0 mm	10,0 mm	1,0 - 4,0 mm	77701 32600	630 N	930 N	1000	10000
3,2 x 8,0 mm	12,0 mm	1,0 - 5,0 mm	77701 32800				
3,2 x 9,5 mm	13,5 mm	1,3 - 6,4 mm	77701 32950				
3,2 x 10,0 mm	14,0 mm	2,5 - 7,0 mm	77701 32100				
3,2 x 11,2 mm	15,2 mm	4,0 - 7,9 mm	77701 32112				
3,2 x 12,0 mm	16,0 mm	4,5 - 9,0 mm	77701 32120				
3,2 x 12,7 mm	16,7 mm	5,5 - 9,5 mm	77701 32127				
3,2 x 14,0 mm	18,0 mm	6,5 - 11,0 mm	77701 32140				
3,2 x 16,0 mm	20,0 mm	8,5 - 13,0 mm	77701 32160				

Ø 4,0 mm



D1 = 4,0 + 0,05 / - 0,13 mm
D2 = 8,0 + / - 0,29 mm
k = ≤ 1,7 mm
d = 2,18 mm
P = ≥ 27,0 mm
L = + 1,0 / - 0,2 mm
 4,1 mm

	F-Max		CODE				
4,0 x 6,0 mm	10,0 mm	1,0 - 3,5 mm	77701 40600	1050 N	1300 N	1000	10000
4,0 x 8,0 mm	12,0 mm	1,0 - 5,0 mm	77701 40800				
4,0 x 9,5 mm	13,5 mm	1,2 - 6,4 mm	77701 40950				
4,0 x 10,0 mm	14,0 mm	1,5 - 6,5 mm	77701 40100				
4,0 x 12,0 mm	16,0 mm	3,5 - 8,5 mm	77701 40121				
4,0 x 12,7 mm	16,7 mm	4,0 - 9,5 mm	77701 40127				
4,0 x 14,0 mm	18,0 mm	5,5 - 10,5 mm	77701 40140				
4,0 x 16,0 mm	20,0 mm	6,0 - 12,5 mm	77701 40161				
4,0 x 17,0 mm	21,0 mm	6,4 - 13,5 mm	77701 40160				
4,0 x 18,0 mm	22,0 mm	9,5 - 14,5 mm	77701 40180				
4,0 x 20,0 mm	24,0 mm	11,5 - 16,5 mm	77701 40200				

MEHRBEREICHSBLINDNIETE FLACHRUNDKOPF

MULTIGRIP BLIND RIVETS DOMED HEAD

RIVETS MULTI SERRAGE TÊTE PLATE



Aluminium AIMG 2,5
Aluminium AIMG 2,5
Aluminium AIMG 2,5

Stahl verzinkt
Steel zinc plated
Acier zingué

Ø 4,8 mm

D1 = 4,8 + 0,05 / - 0,13 mm

D2 = 9,5 + / - 0,29 mm







k = ≤ 2,0 mm

d = 2,78 mm

P ≥ 27,0 mm

L = + 1,0 / - 0,2 mm



 4,9 mm

	F-Max		CODE				
4,8 x 10,0 mm	14,5 mm	1,0 - 6,0 mm	77701 48100	1400 N	2000 N	500	5000
4,8 x 10,3 mm	14,8 mm	1,6 - 6,4 mm	77701 48103			500	5000
4,8 x 12,0 mm	16,5 mm	2,0 - 8,0 mm	77701 48120			500	5000
4,8 x 14,0 mm	18,5 mm	4,0 - 10,0 mm	77701 48140			500	5000
4,8 x 15,1 mm	19,6 mm	4,8 - 11,0 mm	77701 48150			500	5000
4,8 x 16,0 mm	20,5 mm	6,0 - 12,5 mm	77701 48160			500	5000
4,8 x 17,0 mm	21,5 mm	6,4 - 12,7 mm	77701 48170			500	5000
4,8 x 18,0 mm	22,5 mm	8,0 - 14,0 mm	77701 48180			500	5000
4,8 x 20,0 mm	24,5 mm	10,0 - 16,0 mm	77701 48200			500	5000
4,8 x 22,0 mm	26,5 mm	12,0 - 18,0 mm	77701 48220			500	5000
4,8 x 24,0 mm	28,5 mm	12,5 - 20,0 mm	77701 48240			500	5000
4,8 x 24,8 mm	29,3 mm	12,7 - 21,0 mm	77701 48248			500	5000
4,8 x 27,0 mm	31,5 mm	17,0 - 23,0 mm	77701 48270			250	2500
4,8 x 30,0 mm	34,5 mm	20,0 - 25,0 mm	77701 48300			250	2500

MEHRBEREICHSBLINDNIETE FLACHRUNDKOPF

MULTIGRIP BLIND RIVETS DOMED HEAD

RIVETS MULTI SERRAGE TÊTE PLATE



Aluminium AIMG 2,5
Aluminium AIMG 2,5
Aluminium AIMG 2,5

Stahl verzinkt
Steel zinc plated
Acier zingué

Ø 6,4 mm

D1 = 6,4 + 0,08 / - 0,15 mm


D2 = 13,0 + / - 0,3 mm








k = 2,0 + 0 / - 0,3 mm

d = 3,65 mm

P = ≥ 32,0 mm

L = + 1,0 / - 0,2 mm

 6,5 mm

	F-Max						
6,4 x 15,0 mm	21,4 mm	1,5 - 9,0 mm	78801 64150	2600 N	3800 N	250	2500
6,4 x 20,0 mm	26,4 mm	6,0 - 14,0 mm	78801 64200			250	2500
6,4 x 25,0 mm	31,4 mm	10,0 - 18,0 mm	78801 64250			250	2500