


GERILLTE BLINDNIETE FLACHRUNDKOPF

GROOVED BLIND RIVETS DOMED HEAD


RIVETS CANNELÉS TÊTE PLATE









Aluminium AIMG 2,5
Aluminium AIMG 2,5
Aluminium AIMG 2,5


Stahl verzinkt
Steel zinc plated
Acier zingué







Ø 3,2 mm

D1 = 3,2 + 0,35 / - 0 mm
D2 = 6,0 + / - 0,24 mm
k = ≤ 1,4 mm
d = 1,8 mm
P = ≥ 27,0 mm
L = + 1,0 / - 0,2 mm
 3,4 mm


	F-Max		CODE				
3,2 x 10,0 mm	14,0 mm	max. 6,0 mm	70702 32100	525 N	930 N	1000	10000
3,2 x 14,0 mm	18,0 mm	max. 10,0 mm	70702 32140			1000	10000







Ø 4,0 mm

D1 = 4,0 + 0,35 / - 0 mm
D2 = 8,0 + / - 0,29 mm
k = ≤ 1,7 mm
d = 2,2 mm
P = ≥ 27,0 mm
L = + 1,0 / - 0,2 mm
 4,3 mm

	F-Max		CODE				
4,0 x 8,0 mm	12,0 mm	max. 4,0 mm	70702 40800	885 N	1410 N	1000	10000
4,0 x 10,0 mm	14,0 mm	max. 6,0 mm	70702 40100			1000	10000
4,0 x 12,0 mm	16,0 mm	max. 8,0 mm	70702 40120			1000	10000
4,0 x 14,0 mm	18,0 mm	max. 10,0 mm	70702 40140			500	5000
4,0 x 16,0 mm	20,0 mm	max. 12,0 mm	70702 40160			500	5000

Ø 4,8 mm

D1 = 4,8 + 0,35 / - 0 mm
D2 = 9,5 + / - 0,29 mm
k = ≤ 2,0 mm
d = 2,65 mm
P = ≥ 27,0 mm
L = + 1,0 / - 0,2 mm
 5,1 mm

	F-Max		CODE				
4,8 x 8,0 mm	12,5 mm	max. 4,0 mm	70702 48800	1185 N	1575 N	500	5000
4,8 x 10,0 mm	14,5 mm	max. 6,0 mm	70702 48100			500	5000
4,8 x 12,0 mm	16,5 mm	max. 8,0 mm	70702 48120			500	5000
4,8 x 14,0 mm	18,5 mm	max. 10,0 mm	70702 48140			500	5000
4,8 x 16,0 mm	20,5 mm	max. 12,0 mm	70702 48160			500	5000
4,8 x 18,0 mm	22,5 mm	max. 14,0 mm	70702 48180			500	5000
4,8 x 20,0 mm	24,5 mm	max. 16,0 mm	70702 48200			500	5000
4,8 x 25,0 mm	29,5 mm	max. 21,0 mm	70702 48250			500	5000
4,8 x 30,0 mm	34,5 mm	max. 26,0 mm	70702 48300			250	2500